

CERTIFICATE OF ANALYSIS

Client:	Lark Supply	Work Order:	24MIS1285
	Apex, USA	Date Received:	September 30, 2024
		Date Analyzed:	October 07-08, 2024
		Date Reported:	October 08, 2024
Submitted by:		Analysis:	Silica in Bulk material
Client's reference:	XPB240628K2	Reference:	NIOSH 7602 with modifications ¹⁾
		Procedure:	FT-IR

Results:

Clients Sample ID #	Laboratory Sample ID #	Quartz % by weight	Cristobalite % by weight
Vitamin K2 MK-4 Powder	24MIS1285-Sil-K2	<RL	<RL
Reporting Limit (RL)		RL=0.2%	RL= 0.2%

Comment:

- 1) Method is modified for analysis of bulk materials.
- Sample was analyzed in duplicate. Average result reported.
- Sample was purified from a possible impurity, which may interfere with analysis.

Notes:

- Sample(s) was (were) packed according to the standard method recommendations and accepted for analysis.
- RL- Reporting Limit is the lowest concentration reported by laboratory.
- Test results pertain only to analysis of samples herein reported.
- Results are blank corrected if such is provided. The blank result is reported without correction.



Analyst: Raisa Stadnichenko, Ph.D.

Reviewer: Stepan Reut, Ph.D.